



Medicines from those who care





INTERCHEM SLC

Lustdorfskaya doroga, 86 Odessa, Ukraine, 65080



+38 (048) 777-29-50



+38 (0482) 34-08-03



info@interchem.com.ua

Nº	Trade name	API's	Dosage	Forms	Pharmaco-therapeutic description Categor	y**
1	Amixin ®IC	Tilorone*	60 mg 125 mg	Tablets	ATC Code – L03A X An antiviral medication of the wide spectrum. It is applied for the prophylaxis and treatment of influenza and acute respiratory viral infections and other viral infections.	1
2	Amifena IC	Mefenamic acid	250 mg 500 mg	Tablets	ATC Code – M01A G01 Acute respiratory infections and influenza. Primary dysmenorrhea. Dysfunctional menorrhagia. Inflammatory diseases of the musculoskeletal system: rheumatoid arthritis, rheumatism, spondylitis disease.	1
3	Vitamin C	Ascorbic acid	500 mg	Tablets	ATC Code – A11G A01 Treats and prevents low levels of vitamin C.	
4	Alcodes ®IC	Metadoxine	500 mg	Tablets	ATC Code – N07B B Anti-alcohol, detoxification, hepatoprotective medicinal product.	. 1
5	Doculac IC NEW!	Sodium 1,4-bis (2-ethylhexyl) sulfosuccinate.	100 mg	Tablets	ATC Code – A06A A02 Laxatives. Laxatives that soften stool. Dokusat sodium.	1
6	Flumibact IC	Dequalinium chloride	10 mg	Vaginal tablets	ATC Code – G01A C05 For the treatment of bacterial vaginosis.	1
7	Liveria ® IC	Metadoxine	500 mg	Tablets	ATC Code – NO 7B B Hepatoprotective agent. Metadoxine increases the activity of acetaldehyde dehydrogenase and alcohol dehydrogenase, prevents the accumulation of fat in hepatocytes and formation of fibronectin and collagen.	1
8	Ginkgoba Tinkroбa 120*	Folium Ginkgo	40 mg 80 mg 120 mg	Capsules	ATC Code – N06D X02 Herbal medicinal product for the improvement of (ageassociated) cognitive impairment and of quality of life in mild dementia, for the relief of legs heaviness and the sensation of cold hands and feet associated with minor circulatory disorders.	1
9	Mebicar IC Mebicar IC Mebicar IC	Mebicar*	300 mg 500 mg	Tablets	ATC Code – N056B X21 Daytime tranquilizer.	1
10 HC	Noobut ®IC	Phenibut*	100 mg 250 mg 100 mg 500 mg	Tablets Powder for oral solution	ATC Code – N06B X22 Nootropic agent promoting GABA-mediated transmission of the nervous impulses in CNS.	1

Nº	Trade name	API's	Dosage	Forms	Pharmaco-therapeutic description Categor	у**
11	Intagra ® IC WHLAFPA 100	Sildenafil	25 mg 50 mg 100 mg	Tablets	ATC Code – G04B E03 Sildenafil citrate is a medicinal product that is used to treat erectile dysfunction.	2
12	Benzonal IC®	Benzobarbital	50 mg 100 mg	Tablets	ATC Code – NO3A A Barbiturate derivative. It has anticonvulsant effects and is used for the treatment of epilepsy.	2
13	Gidazepam IC®	Gidazepam*	20 mg 50 mg	Tablets, sublingual tablets	ATC Code – NO5B A Benzodiazepine derivative. Daytime tranquilizer. It does not possess the hypnotic effect.	2
14	Levana ®IC	Levana*	0,5 mg 1 mg 2 mg	Tablets	ATC Code – N05C D A partial (incomplete) selective agonist of GABA A- receptor complex. It possesses the expressed hypnotic and anxiolytic effects. It is used for treatment of insomnia.	2
15	Mematon IC MEMATOH IC Mematon IO M	Memantine hydrochloride	10 mg 20 mg	Tablets	ATC Code – N06D X01 A noncompetitive antagonist of N-methyl-D-aspartate receptors, has a modulating effect on the glutamatergic system. Indications – Alzheimer's disease from mild to severe forms.	2
16	Rivastigmin IC	Rivastigmine	1,5 mg 3 mg 4,5 mg 6 mg	Capsules	ATC Code – N06D A03 Treats mild to moderate dementia (eg, impairment memory or judgment, abstract thinking, changes in personality) in patients with Alzheimer or Parkinson disease.	2
17	Clophelin IC KNOOENIH IC Washens 0,15 Mr	Clonidine hydrochloride	0,1 mg 0,15 mg 0,3 mg	Tablets	ATC Code – CO2A CO1 Clonidine hydrochloride (a centrally acting alpha-agonist hypotensive agent) decreases in peripheral resistance, renal vascular resistance, heart rate, and blood pressure.	2
18	Rosuvastatin IC	Rosuvastatin	5 mg 10 mg 20 mg 40 mg	Tablets	ATC Code – C10A A07 It is used for lowering high cholesterol and triglycerides in certain patients.	2
19	Bifoc ®IC	Ibuprofen Codeine	200 mg 10 mg	Tablets	ATC Code – M01A E51 Helps to relieve mild to moderate pain and aches such as headache, migraine, toothache, period pain, backache, nerve pain, rheumatic or muscular pain.	2
20	Triphedrin® IC	Ephedrine Theophylline Phenobarbital	12 mg, 100 mg, 10 mg	Tablets	ATC Code – R03D B04 This combination is intended for obstructive airway diseases.	2
21 22	Amicitron® Amicitron® sugar free	Paracetamol Phenylephrine Pheniramine Ascorbic acid	500 mg, 10 mg, 20 mg, 50 mg	Powder for oral solution	ATC Code – NO2B E51 Symptomatic treatment of acute respiratory infections and flu: high fever, headache, nasal congestion, runny nose, aches and pains in the muscles.	1
23 24	Amicitron® Forte Amicitron® Forte sugar free	Paracetamol Phenylephrine Pheniramine Ascorbic acid	650 mg, 10 mg, 20 mg, 50 mg	Powder for oral solution	MILITION MILITION MILITION PARTITION PARTITION	1
25	Amicitron® Extratab	Paracetamol Phenylephrine Chlorpheniramine	650 mg, 10 mg, 4 mg	Tablets	10 j was	1

Nº	Trade name	API's	Dosage	Forms	Pharmaco-therapeutic description Catego	ry**
26 27	Amicitron® Plus Amicitron® Plus sugar free	Paracetamol Guaifenesin Phenylephrine hydrochloride	500 mg, 200 mg, 10 mg	Tablets	ATC Code – N02B E51 For symptomatic relief of colds, flu and for relief from chesty cough.	1
28	Amilar IC	Dequalinium Chloride Dibucaine hydrochloride	0,25 mg, 0,03 mg	Tablets	ATC Code – R02A Topical treatment of acute inflammatory diseases of the oral cavity and pharynx: gingivitis, stomatitis, tonsillitis, laryngitis and pharyngitis.	1
29	Regisol IC	Dextrose Potassium Chloride Sodium Chloride Sodium Citrate	10 g, 2,5 g, 3,5 g, 2,9 g	Powder for oral solution	ATC Code – A07C A Oral rehydration salt formulation is applied to loss correction by an organism of liquid and electrolytes at vomiting and/or diarrhea. In comparison with standard solutions which WHO recommends to apply within rehydration therapy Regisol has smaller osmolarity.	1
30 K	Carditab IC KAPDITAG IC APAITAG IC	Phenobarbital Ethyl ester of a-bromoisovaleric acid Mint oil	7,5 mg, 8,2 mg, 0,58 mg	Tablets, sublingual tablets	ATC Code – N05C B02 The complex treatment of hypertension and vegetativevascular dystonia. Cardialgia, tachycardia. Intestinal cramps caused by neurovegetative disorders. Insomnia.	1
31	Carditab®IC Fito	Extractum Valerianae siccum (Rhizoma radicibus Valerianae) Ethyl ester of a-bromoisovaleric acid Mint oil	40 mg, 8,2 mg, 0,58 mg	Tablets	ATC Code – NO5C X Used in combined therapy of mild functional cardiovascular diseases and for treatment of increased irritability and insomnia.	1
32	Analgin-Dibazol-Papaverin AHAЛЬГІН ДИБАЗОЛ ПА ПАВЕРИН	Metamizole natrium Bendazole hydrochloride Papaverine hydrochloride	250 mg, 20 mg, 20 mg	Tablets	ATC Code – NO2B B52 Treatment of pain associated with spasm of the peripheral arteries, smooth muscles of the gastrointestinal tract, brain vessels. Arterial hypertension.	1
33	Andiphen IC AHAMOEH IC 10 Paratrum Paratrum	Metamizole natrium Bendazole hydrochloride Papaverine hydrochloride Phenobarbital	250 mg, 20 mg, 20 mg, 20 mg		ATC Code – NO2B B72 Treatment of pain associated with spasm of the peripheral arteries, smooth muscles of the gastrointestinal tract, brain vessels. Arterial hypertension.	1
34	Paracod IC®	Codeine phosphate Paracetamol	8 mg, 500 mg	Tablets	ATC Code – NO2B E51 Helps to relieve mild to moderate pain and aches such as headache, migraine, toothache, period pain, backache, nerve pain, rheumatic or muscular pain.	2
35	Pentalgin IC®	Codeine Metamizole sodium Paracetamol Caffeine Phenobarbital	7 mg, 300 mg, 200 mg, 20 mg, 10 mg	Tablets	ATC Code – NO2B B72 This combination has the analgesic, anti-fever, vasodilating, anti-migrainous, and antitussive effects and eliminates the symptoms of "chill", flu.	2

Nº	Trade name	API's	Dosage	Forms	Pharmaco-therapeutic description	
36	Pramipexole IC Inpaminekcon C	Pramipexole dihydrochloride monohydrate	0,25 mg 1 mg	Tablets	ATC Code – N04B C05 Treating the signs and symptoms of Parkinson disease. It is also used to treat restless legs syndrome.	2
37	Codesan® IC	Codeine Sodium hydrocarbonate Liquiritiae radix Thermopsidis herb	9,5 mg, 200 mg, 200 mg, 20 mg	Tablets	ATC Code – R05F A02 Fixed combination medicinal product that has central antitussive effect as well as significant expectorant, anti-inflammatory, antispasmodic action.	2
38	Codterpin IC®	Codeine Sodium hydrocarbonate Therpinhydrate	8 mg, 250 mg, 250 mg	Tablets	ATC Code – R05F A02 Fixed combination medicinal product with central antitussive and expectorant effects.	2
39	Theophedrin IC®	Caffeine Ephedrine Theophylline Phenobarbital Paracetamol Citisine Belladonna	50 mg, 20 mg, 100 mg, 20 mg, 200 mg, 0,1 mg, 3 mg	Tablets	ATC Code – R03D A74 This combination is intended for obstructive airway diseases.	2
40	Bupren ® IC	Buprenorphine	0,2 mg 0,4 mg 2 mg 8 mg	Sublingual tablets	ATC Code – N02A E01 and N07B C01 Buprenorphine is a semi-synthetic opioid for treatment of opioid dependence and for the relief of moderate to severe pain.	3
41	Clonazepam IC	Clonazepam*	0,5 mg 1 mg 2 mg	Tablets	ATC Code – N03A E01 Antiepileptic drug. Benzodiazepine derivative.	3
42	Codeine phosphate Code phosphate ROBEINY ФОСФАТ	Codeine phosphate	30 mg	Tablets	ATC Code – R05D A04 An opioid analgesic intended for the relief of mild to moderate severe pain.	3
43	Methaphin® IC METAPIH® IC WELVOIH, IC THE TAPIH IC METAPIH IC	Methadone	5 mg 10 mg 25 mg	Tablets	ATC Code – N07B C02 Synthetic opioid for treatment of opioid dependence and for the relief of moderate to severe pain.	3
44	Morphine sulfate MOP DINY CV FIS DAT	Morphine sulfate	5 mg 10 mg	Tablets	ATC Code – N02A A01 Opioid. Immediate-release tablets are intended for the management of pain severe enough to require daily, around- the-clock, long-term opioid treatment.	3
45	Phenazepam® IC	Phenazepam*	0,5 mg 1 mg 2,5 mg	Tablets	ATC Code – N05B A Benzodiazepine derivative. Anxiolytic and anticonvulsant agent.	3
46	Phenobarbital IC PHOEADEITARIC THE COMMENT OF THE	Phenobarbital	5 mg 50 mg 100 mg	Tablets	ATC Code – N03A A02 Barbiturate derivative. Indications: epilepsy, chorea, spastic paralysis, peripheral artery spasm, eclampsia, hemolytic disease of the newborn.	3
47	Sibazon® IC	Diazepam	5 mg 10 mg	Tablets	ATC Code – N05B A01 Benzodiazepine derivative for treatment of anxiety is used to treat anxiety disorders, alcohol withdrawal symptoms and muscle spasms	

Nº	Trade name	API's	Dosage	Forms	Pharmaco-therapeutic description Category	/**
48	Creatine smart	Creatine monohydrate	500 mg 2000 mg	Tablets Chewable tablets	Food supplement. Creatine is involved in the synthesis of ATP in the human's body. Also it plays essential role in muscle contraction.	4
49	H20 smart	Sodium Citrate Sodium Chloride Potassium Chloride	645 mg 455 mg 372 mg 124 mg	Powder for oral solution	Food supplement. It is used to reduce the risk of dehydration and promotes the recovery of water and salts during physical and thermal stresses.	4
50	Babyplant	Fennel extract (Foeniculum vulgare) Fennel oil	250 mg, 2,4 mg,	Powder for oral solution	Food supplement. Fennel extract increases gastrointestinal motility and acts as an antispasmodic.	4
51	BCAA smart	L-Leucine L-Valine L-Isoleucine L-Leucine L-Valine L-Isoleucine	250 mg, 125 mg, 125 mg, 1000mg, 500 mg, 500mg,	Tablets Chewable tablets	Food supplement. BCAA promotes acceleration of protein synthesis, improves endurance and power performance.	4
52	Dobranich	L-5- hydroxytryptophan (5-HTP) Melatonin	50 mg,	Capsules	Food supplement. It is used to reduce anxiety, improve sleep quality as well as f or correction of disturbances daily biorhythms, particularly jet lag.	4
53	GeniusPlus	L-5- hydroxytryptophan (5-HTP) Folium Ginkgo	50 mg, 40 mg	Capsules	Food supplement. It is used to improve emotional state, reduce anxiety, improve mental and physical performance.	4
54	L-carnitine smart	L-carnitine	250 mg 1000 mg	Tablets Chewable tablets	Food supplement. Carries out the transportation of fatty acids (fat cells)in muscle mitochondria where they collapse, releasing energy.	4
55	Odri	Biotin (type I) Collagen	300 mg, 1 mg	Capsules	Food supplement. An additional source of biotin and collagen to support healthy skin, hair and nails.	4
56	Regisol Neo	Rice flour Potassium Chloride Sodium Chloride Sodium Citrate	6000mg, 300 mg, 350 mg, 580 mg	Powder for oral solution	Food supplement. Used in the case of body dehydration. Water with sodium and potassium facilitate correction of fluid and electrolyte balance in the body. Rice flour helps to normalize bowel movements during diarrhea.	4
57	SmartSlim	L-5- hydroxytryptophan (5-HTP)	100 mg 200 mg	Powder for oral solution	Food supplement. It is used to improve emotional state, normalize sleep, reduce anxiety, control appetite.	4
58	SmartSmile	L-5- hydroxytryptophan (5-HTP)	100 mg	Capsules	Food supplement. It is used to improve emotional state, normalize sleep, reduce anxiety, control appetite.	4
59	Suglobin	Collagen (type II) Chondroitin sulfate sodium Glucosamine sulfate potassium chloride	300 mg, 300 mg, 300 mg	Powder for oral solution	Food supplement. Additional source of collagen, chondroitin and glucosamine, which are essential components for the regeneration of connective tissue, synovial fluid and cartilage components of joints.	4

NOTES:

^{*} domestic manufacture of API: Clonazepam, Clonidine, Gidazepam, Levana, Mebicar, Neostigmine, Phenazepam, Tilorone.

INN	Systematic name	Chemical formula	Structural formula	Scope
Clonazepam*	5-(o-chlorophenyl)- 1,3-dihydro-7-nitro- 2H-1,4-benzodiazepine- 2-one	C ₁₅ H ₁₀ ClO ₃ N ₃	O_2N O_2N O_2N O_2N O_2N	Non-sterile dosage form
Clonidine	N-(2,6-dichlorophenyl)- 4,5-dihydro-1H-imidazole- 2-amine hydrochloride	C ₉ H ₉ Cl ₂ N ₃ ·HCl	CI N NH—NH—NHCI H CI	Sterile and non-sterile dosage form
Fabomotizole	5-ethoxy-2-[(2-morpholin-4-yl-ethyl)thio]-1H-benzimi dazole dihydrochloride	C ₁₅ H ₂₁ N ₃ O ₂ S · 2HCl	CH_3 H N S N $2HCI$	Non-sterile dosage form
Gidazepam*	1-(hydrazinocarbonyl)- methyl-7-bromo-5-phenyl- 1,2-dihydro-3H-1,4- benzodiazepin-2-one	$C_{17}H_{15}BrN_4O_2$	O_{2N} O_{N+N+2} O_{2N} O_{2N} O_{2N}	Non-sterile dosage form
Levana*	mono-[7-bromo-2-oxo- 5-(2-chlorophenyl)- 2,3-dihydro-1H-benzo[1,4] diazepine-3-il]-4- oxobutanoic acid monohydrate	$C_{19}H_{14}BrClN_2O_5 \cdot H_2O$	Br CI OH ·H ₂ 0	Non-sterile dosage form
Mebicar*	2,4,6,8-tetramethyl- 2,4,6,8-tetraazabicyclo (3,3,0)-octanedione-3,7	C ₈ H ₁₄ N ₄ O ₂	$0 \xrightarrow{H_3C} N \xrightarrow{CH_3} N \xrightarrow{N} 0$ $H_3C \xrightarrow{CH_3} C C \xrightarrow{CH_3} C C C C C C C C C C C C C C C C C C C$	Non-sterile dosage form
Neostigmine	[3-(dimethylcarbamoyloxy) phenyl]-trimethylammonium methylsulfate	$C_{13}H_{22}N_2O_6S$	$\begin{bmatrix} (CH_3)_3N & & & \\ $	Sterile and non-sterile dosage form
Phenazepam*	7-bromo-5- (o-chlorophenyl)- 1,2-dihydro-3H- 1,4-benzodiazepine- 2-one	$C_{15}H_{10}BrCIN_2O$	Br CI	Sterile and non-sterile dosage form
Tilorone (Amixin)*	2,7-Bis[2-(diethylamino) ethoxy]fluoren-9-one dihydrochloride	C ₂₅ H ₃₄ N ₂ O ₃ · 2HCl	$ \begin{bmatrix} (C_2H_5)_2NCH_2CH_2O & & & & \\ & & & & \\ & & & & \\ & & & & $	Non-sterile dosage form

^{*}Trade name